



Cervix Cancer Committee

**Sunday, Dec.2, 2012, 10:00 a.m. – 11:30 a.m.
Rotterdam Room, Holiday Inn, Leiden**

CHAIR: SATORU SAGAE.
CO-CHAIR: BRADLEY J. MONK
PAST-CHAIR WILLIAM SMALL, Jr.

WELCOME & INTRODUCTIONS (& COI declarations):

Satoru Sagae

RECENT CERVIX GCIG TRIALS THAT WERE CLOSED, PUBLISHED OR PRESENTED:

Publication

- Lindsay R, Paul J, Siddiqui N, Davis J, Gaffney DK. Survey on the management of early cervical cancer among members of the GCIG. Int J Gynecol Cancer. 2012 Nov;22(9):1617-23.

Closed

- **GOG 240** (MANGO, NCIC-CTG, NSGO): Cis/Paclitaxel +/- Bev vs Topo/Paclitaxel +/- Bev in stage IVB cervix cancer (Tewari) [Topo/Paclitaxel discontinued after planned fertility analysis] enrollment completed January 3, 2012 (Monk)

CURRENT ACTIVE/NEAR ACTIVATION RANDOMIZED TRIALS WITH GCIG PARTICIPATION:

- **GOG-0278:** Conservative surgery (cone/nodes or hyst/(nodes) in early stage cervical cancer. (evaluation of physical function and QOL) (Covens)
- **GOG-0279:** Phase II Trial Evaluating Cisplatin (NSC #119875) and Gemcitabine (NSC #613327) Concurrent with Intensity-Modulated Radiation Therapy (IMRT) in the Treatment of Locally Advanced Squamous Cell Carcinoma of the Vulva (Horowitz)
- **GOG 263/KGOG-0801 (RTOG):** RT vs CRT in intermediate risk cervix cancer after hysterectomy (Sang-Young Ryu)
- **GOG0233/ACRIN 6671 (KGOG, JGOG):** Utility of Preoperative FDG-PET/CT Prior to Primary Chemoradiation Therapy to Detect Retroperitoneal Lymph Node Metastasis in Patients With Locoregionally Advanced Carcinoma of the Cervix (IB2, IIA =4 CM, IIB-IVA) or Endometrium (Grade 3 Endometrioid Endometrial Carcinoma; Serous Papillary Carcinoma, Clear Cell Carcinoma, or Carcinosarcoma (Any Grade); and Grade 1 or 2 Endometrioid Endometrial Carcinoma With Cervical Stromal Involvement Overt in Clinical Examination or Confirmed by Endocervical Curettage) (Susanna Lee)
- **RTOG-0724 (GOG 0724):** ChemoRT with and without adjuvant chemotherapy in high risk cervix cancer after hysterectomy (Jhingran)
- A Randomized Phase III Study of Standard vs. IMRT Pelvic Radiation for Post-operative Treatment of Endometrial and Cervical Cancer: TIME-C (Small)
- **GROINSS-V II (GOG 270):** Groningen International Study on Sentinel Nodes in Vulvar Cancer: An Observational Study (van der Zee)
- **EORTC 55994:** Randomized phase III study of neoadjuvant chemotherapy followed by surgery vs. concomitant radiotherapy and chemotherapy in FIGO stage Ib2, Ila>4 cm or Iib cervical cancer
- **KGOG-Thai TACO: (CCRN)** Randomized Clinical Trial of Weekly versus Tri-Weekly Cisplatin based Chemoradiation in Locally Advanced Cervical Cancer: (Sang Young Ryu)
- **ANZGOG/ GOG 0274/RTOG 1174 OUTBACK (CCRN):** Chemoradiotherapy +/- adjuvant chemotherapy (Linda Mileshkin)

- NCRI: INTERLACE: **(CCRN)** INduction ChemoThERapy in Locally Advanced Cervical Cancer (Mary McCormack)
- NCIC-CTG CX 5 SHAPE: **(CCRN)** A Randomized Trial Comparing Radical Hysterectomy and Pelvic Node Dissection vs. Simple Hysterectomy And Pelvic Node Dissection in Patients with Low Risk Early Stage Cervical Cancer: (Marie Plante)

DEVELOPING CONCEPTS:

- other new developing concepts

DISCUSSIONS:

- Cervix Cancer Research Network (CCRN): (Gaffney/Kitchener)
CCRN at IGCS, Vancouver, October 15, 2012, Summary Report

ADJOURN

Of Note:

3:00pm CCRN satellite session ---- Utrecht Room

6:00pm CCRN QA (**closed**) meeting --- Rotterdam Room