



**A RANDOMIZED TRIAL COMPARING RADICAL
HYSTERECTOMY AND PELVIC NODE DISSECTION
VS SIMPLE HYSTERECTOMY AND PELVIC NODE
DISSECTION IN PATIENTS WITH LOW-RISK,
EARLY- STAGE CERVICAL CANCER**

A Gynecologic Cancer Intergroup (GCIIG) Trial led by the CCTG

GCIIG Trial Designation: The **SHAPE Trial
CCTG Protocol Number: **CX.5****


Chair: Marie Plante

Current Status

Country	# Sites Activated
Canada	17
France	33
United Kingdom	21
Belgium	8
The Netherlands	7
Austria	7
South Korea	2
Ireland	1
China	1
Russia	1
Total	98

Country	# Patients Accrued
Canada	124
France	57
United Kingdom	44
The Netherlands	43
Belgium	25
Austria	15
Ireland	10
South Korea	8
China	2
Russia	2
Total	330 (47%)

Current Status



- We have reached **47%** of total accrual
- **50%** of patients have been randomized in the past year
- Accrual Rate for past 12 months = **13 pts/month**
- **1st CCRN** site activated in December 2016
 - Herten **Moscow** Scientific Research Institute of Oncology
 - 2 patients have been enrolled
- We are moving forward with activating 2 CCRN centres in **Brazil**